

INDEX MAPS.

T. 29N, R. 6 E. 2nd Mer.

	406		406		405		405		405		404	
409	6	444	5	437	4	432	3	429	2	427	1	404
	444		443		436		431		428	412	412	
408	7	442	8	435	9	431	10	427	11	411	12	403
	442		441		435		430	415	415		411	
408	18	441	17	434	16	430	15	425	14	411	13	403
	440		439		433	418	417		414		411	
407	19	438	20	433	21	417	22	414	23	410	24	403
	438	421	421		419	417		413		410		
407	30	420	29	419	28	416	27	413	26	410	25	403
	437	421	420		418	416		413		409		
407	31	420	32	418	33	416	34	412	35	409	36	402
	402		402		401		401		401		401	

Meanders 422, 445

T. 30N, R. 6 E. 2nd Mer.

	458	458	458	457	457	457						
461	6	483	5	477	4	473	3	469	2	465	1	456
	483	482	477	473	469	465						
461	7	482	8	476	9	472	10	468	11	465	12	456
	481	481	476	472	468	464						
460	18	481	17	476	16	472	15	468	14	464	13	456
	480	480	475	471	467	464						
460	19	480	20	475	21	471	22	467	23	463	24	456
	479	479	475	470	467	463						
459	30	478	29	474	28	470	27	466	26	463	25	455
	478	478	474	470	466	462						
459	31	477	32	473	33	469	34	466	35	462	36	455
	454	454	454	453	453	453						

Meanders 484

The figures on the lines refer to the page.

Township N 29 North of Range N 6 East 2nd Mer. Indiana

401

South Boundary.

- West On South Boundary of Sec 36. var. 6' or E.
 32, 93 An S Ash 28 in. diam.
 40.00 Set a q. Sec Post from which a
 B. Oak 9 in. diam. bears N 87 E 57 links dist. & a
 Do 22 " " " N 54 W 25 " "
 67.50 A B Ash 14 in. diam.
 80.00 Set a Post Corner to Secs 35 & 36. from which
 a Hickory 25 in. diam. bears N 67 E 30 links dist. &
 a Do 18 " " " N 35 W 10 " "

-
- West On South Boundary of Sec 35.
 29.57 A Burr Oak 20 in. diam.
 40.00 Set a q. Sec Post from which
 a W. Oak 14 in. diam. bears N 27 E 14 links dist. &
 a Spruce 110 " " " N 40 W 3 " "
 52.97 A B Ash 24 " "
 80.00 Set a Post Corner to Secs 34 & 35. from which
 a W. Oak 33 in. diam. bears N 75 E 24 links dist. &
 a Hickory 23 " " " N 52 W 25 " "

-
- West On South Boundary of Sec 34.
 33.58 A Hickory 10 in. diam.
 40.00 Set a q. Sec Post from which
 a Beech 10 in. diam. bears N 82 E 30 links dist. &
 a W Oak 22 " " " North 8 " "
 62.25 S Ash 21 " "
 80.00 Set a Post Corner to Secs 33 & 34. from which
 an Ironwood 4 in. diam. bears N 65 E 21 lks. dist. &
 a Beech 6 " " " N 43 W 7 " "

-
- West On South Boundary of Sec 33.
 31.84 A Hickory 28 in. diam.
 40.00 Set a q. Sec Post from which
 a Sugar 9 in. diam. bears N 78 E 22 links dist. &
 a Hickory 7 " " " N 58 W 13 " "

T 29 N. R 6 E 2nd Mer. Indiana.

- 72.05 A B Oak 30 in. diam.
 80.00 Set a Post Corner to Sec. 32 & 33 from which
 an Elm 6 in. diam. bears N 82 E 31 links dist. &
 a Do 4 " " " N 27 W 28 " "

- West On South Boundary of Sec 32.
 28 30 A B Oak 17 in. diam.
 40.00 Set a post the Post from which
 a W. Oak 10 in. diam. bears N 79 E 30 links dist. &
 a B. Oak 9 " " " N 54 W 23 " "
 61.70 A Sugar 14 " "
 80.00 Set a Post Corner to Sec. 31 & 32. from which
 a Sugar 14 in. diam. bears N 77 E 11 links dist. &
 a Buck 8 " " " N 67 W 25 " "

- * West On South Boundary of Sec 31. November 11th 18-
 34 50 A Burr Oak 30 in. diam. * 170. Not over 12 lbs wide C.S. Post.
 40.00 Set a post the Post from which a
 Buck 13 in. diam. bears N 77 E 33 links dist. &
 Do 12 " " " N 12 W 38 " "
 50.43 A Buck 24 in. diam.
 68.00 Intersect the West Boundary 50 links North of Post.
 Set a Post Corner to Towns 28 & 29 North Ranges
 5 & 6 East Sec. 1.6. 31 & 36. from which
 a Sugar 18 in. diam. bears N 89 E 38 links dist. &
 a Buck 21 " " " N 25 W 46 " "
 Land level & 2nd rate Timber and Undergrowth as
 last mile.

East Boundary

- North On East Boundary of Sec 30. var. 5.00. 6.
 33 47 A B Ash 24 in. diam.
 40.00 Set a post the Post from which
 an Elm 8 in. diam. bears S 18 W 13 links dist. &
 a Do 16 " " " N 28 W 36 " "
 67.91 A Buckeye 13 in. diam.

Tsg N. R. C. Co. 2nd Mer. Indiana

403

50. 07 Set a Post Corner to Sec. 25 & 36. from which
a Buck 7 in. diam. bears S 43° W 21 links dist. &
a Dr 5 " " " N 26° W 34 " "

North On East Boundary of Sec 25.

31. 50 A B Ash 18 in. diam.

40. 07 Set a gr Sec Post from which
a Buck 7 in. diam. bears S 25° W 25 links dist. &
a Dr 6 " " " N 71° W 10 " "

52. 81 A Burr Oak 12 in. diam.

58. 07 Set a Post Corner to Sec. 24 & 25 from which
a Buck 11 in. diam. bears S 12° W 36 links dist. &
a Dr 10 " " " N 52° W 30 " "

North On East Boundary of Sec 24.

33. 33 A Buck 18 in. diam.

40. 07 Set a gr Sec Post from which
an Elm 9 in. diam. bears S 20° W 26 links dist. &
a Poplar 9 " " " N 67° W 5 " "

58. 77 A B Ash 15 in. diam.

80. 07 Set a Post Corner to Sec. 13 & 24 from which
a Linn 10 in. diam. bears S 5° W 34 links dist. &
a Buck 12 " " " N 20° W 40 " "

North On East Boundary of Sec 13

24. 07 A W Oak 45 in. diam.

40. 07 Set a gr Sec Post from which
a Buck 17 in. diam. bears S 5° W 37 links dist. &
a Dr 12 " " " N 45° W 54 " "

51. 33 A B Oak 24 in. diam.

80. 07 Set a Post Corner to Sec. 12 & 13 from which
a S. Ash 18 in. diam. bears S 45° W 6 links dist. &
a Dr " 16 " " " N 64° W 40 " "

North On East Boundary of Sec 12.

10. 07 To Swamp.

T 99 N. R 6 E 2nd Mer. Indiana.

- 24.07 Left the Swamp.
 40.07 Set a 2^d Sec Post from which
 a Blue Ash 8 in. diam. bears S 70 W 23 links dist. &
 a " Do 4 " " " N 31 W 50 " "
 50.84 An Elm 23 in. diam.
 60.07 Set a Post Corner to Sec. 1 & 2 from which a
 S. Ash 7 in. diam. bears N 84 W 19 links dist. & a
 Do 4 " " " " N 20 W 50 " "

North On East Boundary of Sec 1

- 25.16 Set a Post on the Left Bank of Eel River Cor to
 fract. Sec 1. from which
 a Lynn 6 in. diam. bears N 85 W 5 links dist. &
 a Jack Oak 12 in. diam. bears N 78 E 7 links dist. &
 28.20 Set a Post on the Right Bank of Eel River from which
 a Buckeye 4 in. diam. bears N 29 E 10 links dist. &
 a Do 4 " " " " N 57 W 40 " "
 40.07 Set a 2^d Sec Post from which
 an Elm 4 in. diam. bears S 72 W 4 links dist. &
 a Buckeye 5 " " " " N 27 W 91 " "
 68.90 A W. Ash 9 in. diam.
 80.07 Set a Temp^t Town Corner.
 Land rolling & 2^d rate. Timber. Oak. Ash. Elm.
 Lynn. & Buckeye.
 South of the River. Land level & 2^d rate.

Surveyed by
 Ephraim Libbey David Hobbs D. S.

North Boundary Var 5' 15" E

- West On South Boundary of Sec 30 T 30 N. R 6 E.
 26.12 A B Oak 10 in. diam.
 40.07 Set a 2^d Sec Post from which
 a W. Oak 12 in. diam. bears N 60 W 146 links dist. &
 a Do 12 " " " " N 50 E 31 " "
 42.50 Enter Wet Prairie
 59.50 A Break 10 links wide. Course S. & Leave Wet Prairie

- 65.23 A W. Oak 12 in. diam.
 66.00 A Trail Course S W.
 80.00 Set a Post Corner to Sec. 35 & 36 from which
 a W. Ash 18 in. diam. bears N 49° W 110 links dist. &
 a W. Oak 18 " " " N. 3 E 71 " "
 Land level & 1st rate Thinly timbered with Oak,
 Ash & Elm. Undergrowth Huckle. Briers & Grape vines

- West On South Boundary of Sec 35 T30 N. R. O. E.
 25.42 A White Wood 36 in. diam.
 40.00 Set a 2nd Sec Post from which
 a Beech 4 in. diam. bears N 30° W 9 links dist. &
 an Ironwood 7 " " " N. 20 E 18 " "
 48.80 An Elm 14 " "
 50.00 A Brook 5 links wide. Course S W.
 80.00 Set a Post Corner to Sec. 34 & 35 from which
 a Blue Beech 10 in. diam. bears N 13° W 30 links dist. &
 a Red Oak 22 " " " N 08 E 35 " "
 Land gently rolling & 1st rate Timber. Oak, Beech,
 Ash, Elm. & Ironwood.

- West On South Boundary of Sec 34 T30 N. R. O. E.
 20.00 A Red Oak 38 in. diam.
 27.00 A Brook 6 links wide. Course S E.
 40.00 Set a 2nd Sec Post from which
 an Ironwood 5 in. diam. bears N 05° W 19 links dist. &
 a W. Oak 20 " " " N 28 E 33 " "
 60.03 A Black Oak 7 in. diam.
 79.00 A Brook 8 links wide Course N W.
 80.00 Set a Post Corner to Sec. 33 & 34 from which
 a Butternut 10 in. diam. bears N 03° W 25 links dist.
 & a Hickory 10 " " " N 32 E 75 " "
 Land & timber as before.

- West On South Boundary of Sec 33 T30 N. R. O. E.
 3.50 A Brook 8 links wide. Course S.

T 99 N. R 6 E 2nd Mer. Indiana.

- 22.57 A W Oak 10 in. diam.
 23.00 Enter Wet Prairie
 24.00 A Brook 6 links wide. Course South
 30.00 Left the Prairie
 40.00 Set a 2d Sec Post from which a
 W Oak 30 in. diam. bears N 50° W 42 links dist & an
 Elm 18 " " " N 84° E 48 " "
 67.33 A Hickory 7 in. diam.
 80.00 Set a Post Corner to Secs 32 & 33 from which
 a W Oak 10 in. diam. bears N 58° W 40 links dist &
 a Do 26 " " " N 41° E 57 " "
 Land level & 1st rate (Marsh or Prairie excepted)
 Timber, Oak & Hickory.

- West On South Boundary of Sec 32. S 30 N. R 6 E.
 10.64 A Hickory 10 in. diam.
 40.00 Set a Post for 2d Sec. from which
 a W Oak 10 in. diam. bears N. 79° W 228 links dist &
 a Do 30 " " " N. 44 E 1.44 " "
 62.07 A W Oak 14 " "
 80.00 Set a Post Corner to Secs 31 & 32. from which
 a W Oak 10 in. diam. bears N 22° W 179 links dist &
 a Do 28 " " " N 31 E 49 " "
 Land level & 2nd rate. Timber, Oak & Hickory.

- West On South Boundary of Sec 31. S 30 N. R 6 E
 11.72 A W Oak 8 in. diam.
 40.00 Set a 2d Sec. post from which
 a W Oak 4 in. diam. bears N 12° W 43 links dist &
 a W Oak 5 " " " N 75 E 16 " "
 48.00 Enter Wet Prairie
 69.50 Intersect the West Boundary 4.98 links South
 of the Post (Camp) Set 2nd Corner from which
 a W Oak 26 in. diam. bears N 76 E 10 links dist &
 a B Oak 8 " " " N 80° W 61 " "
 Land Rolling & 2nd rate. Timber, Oak & Hickory. Oct 30th 1833

T 29 N. R 6 E. Ind. Mer. Indiana

407

West Boundary. var. 5.00 E

North On East Boundary of Sec. 36. T 29 N. R 6 E

27.07 A Cherry 16 in. diam.

110.00 Set a q^r Sec Post. from which
a Honey Locust 11 in. diam. bears S 47 W 27 links dist. &
a Hackberry 10 " " " N 54 W 25 " "

140.20 A Stream 20 links wide Course W.

68.12 A Buck 17 in. diam.

68.50 Set a Post on the Left Bank of El River. from which
a W. Oak in. diam. bears S 20 W 5 links dist. and
a Maple 7 " " " N 36 E 10

73.00 Set a Post on the ^{Nov. 157} Right Bank of El River. from which
an Elm 7 in. diam. bears S 68 W 17 links dist. &
a Buckeye 6 " " " N 6 E 43 " "

80.00 Set a Post Corner to Sec. 25 & 36. from which
a Buck 7 in. diam. bears S 21 W 21 links dist. &
a Black Oak 8 " " " N 24 W 5 " "

Land North of the River Rolling & 1st rate. Timber.
Oak Ash. Elm. Linn. Buckeye. &c.

North On East Boundary of Sec 25 T 29 N. R 6 E

18.98 A Buck 24 in. diam.

40.00 Set a q^r Sec Post from which
an Ironwood 6 in. diam. bears S 57 W 10 links dist. &
a Cherry 8 " " " N 28 W 14 " "

59.34 A Buckeye 5 " "

80.00 Set a Post Corner of Sec. 24 & 25. from which
a Buck 18 in. diam. bears S 110 W 26 links dist. &
a Dr 16 " " " N 87 W 21 " "

Land level & 1st rate. Timber as before.

North On East Boundary of Sec 24. T 29 N. R 6 E.

25.05 A W. Oak 15 in. diam.

40.00 Set a q^r Sec Post from which
a W. Oak 20 in. diam. bears S 26 W 50 links dist. and
a Buck 20 " " " S 78 W 31 " "

T 29. N. R. 6 E 2nd Mer. Indiana.

59.68 A Red Oak 30 in. diam.
 78.01 Enter Willen Swamp.
 80.00 Set a Post Corner Sec. 13 & 24 from which
 a Willow 4 in. diam. bears S 78° W 108 links dist &
 a Do 3 " " " N 84° W 93 " "
 Land level & 2nd rate. Timber on the 1st 1/4 mile as
 before. Last to Oak opening.

North On East Boundary of Sec 13 T 29 N. R. 5 E.
 13.00 Left Willen Swamp.
 40.00 Set a gr. Sec Post. from which
 a Burr Oak 12 in. diam. bears S 47° W 183 lks dist &
 a W. Oak 16 " " " N 57° W 135 " "
 63.17 A Do 15 " "
 80.00 Set a Post Corner to Sec. 12 & 13 from which
 a W. Oak 9 in. diam. bears S 58° W 26 links dist and a
 Do 9 " " " N 58° W 35 " "
 Land gently rolling & 2nd rate thinly timbered
 with Oak. & some Hickory.

North On East Boundary of Sec 12 T 29 N. R. 5 E.
 5.00 Enter Marsh
 11.00 Large " 2 small Ponds in Marsh. one on
 each side of the line.
 22.73 A Hickory 9 in. diam.
 27.00 South Side of a small Pond.
 37.50 Over Pond.
 40.00 Set a gr. Sec Post from which
 a W Oak 18 in. diam. bears S 76° E 303 links dist &
 a Do 11 " " " N 11° W 377 " "
 61.53 A Hickory 9 in. diam.
 64.01 A Stream 30 links wide Course East
 80.00 Set a Post Corner to Sec. 1 & 2 from which
 a W. Oak 14 in. diam. bears S 33° W 18 links dist &
 a Do 28 " " " N 19° W 36 " "
 Land Rolling & 2nd rate. Marshy about Ponds.

409

T 29 N. R. 5 E. 2nd Mer. Indiana.

Timber. Oak & Hickory.

North On East Boundary of Sec. 1. T 29 N. R. 5 E.
 29.40 A B Oak 10 in. diam.
 40.00 Set a qz. Sec. Post from which
 an Ironwood 7 in. diam. bears S 21 N 59 links dist. &
 a W. Oak 18 " " " S 12 W 61 " "
 47.00 A B. Oak 32 " "
 50.00 Set a Temp. Post.
 Land is much the same as last mile
 Brushy Oak & Sassafras.

Surveyed by
 Sylvester Sibley, C. S.

Subdivisions

North Between Secs. 35 & 36.
 40.00 Set a qz. Sec. post in Prairie Swamp. from which
 a Willow 12 in. diam. bears N 31 E 58 links dist. &
 a Do 5 " " " S 28 W 28 " "
 44.08 An Ash 10 " "
 50 00 Set a Post Corner to Secs. 25 26. 35 & 36. from which
 an Ash 14 in. diam. bears N 22 E 10 links dist. &
 a Do 16 " " " S 13 E 22 " "
 Land Swampy,

East On Random between Secs. 25 & 26.

40.00 Set a Temp. qz. Sec. Post.
 67.50 A Brook links wide Course S W.
 79 53 Intersect the N & S line 190 links North of the Post.
 Land 2nd & 3rd rate.

West Corrected between Secs. 25 & 36

39.70 Set a qz. Sec. Post at a cor. dist. from which
 a Buckeye 12 in. diam. bears N 27 W 7 links dist. &
 an Elm 10 " " " S 35 E 10 " "
 79.53 To the Corner.

T 39 N. R. 6. E. 2nd Mer. Indiana.

North Between Secs 25 & 26.

2. 75 A Walnut 18 in. diam.

40.00 Set a qz Sec. Post from which
an Ash 15 in. diam. bears S 40 E 12 links dist &
a Maple 18 " " " N 80 E 52 " "This post is in Swamp 15 chains wide and running
East & West without -

53.50 A Buck 18 in. diam.

80.00 Set a Post Corner to Secs 23 24 25 & 26 from which
an Elm 5 in. diam. bears North 19 links dist &
a Do 15 " " " S 41 E 10Land level & Swampy. Timber. Maple Buck.
Ash. Oak & Hickory. Undergrowth. Ironwood.
Dogwood & Spice.

East On Random between Secs 24 & 25.

40.00 Set a Tumpo qz Sec. Post

80 19 Intersect the N & S line 45 links North of Post
Land level & met.

West Corrected between Secs 24 & 25.

40 0 qz. Set a qz Sec Post at aver. dist from which
an Ash 10 in. diam. bears S 20 W 16 links dist &
a Maple 12 " " " N 10 E 42 " "

80 19 To Sec Corner.

North Between Secs 23 & 24.

17 47 An Ash 12 in. diam.

40.00 Set a qz Sec. Post from which

a Buck 12 in. diam. bears N 80 E 20 links dist &
a Do 9 " " " S 20 W 24 " "

51 00 A Buck 12 " "

80.00 Set a Post Corner to Secs 13 14 23 & 24. from which
a Buck 11 in. diam. bears N 73 E 11 links dist &
an Ash 08 " " " N 45 W 20 " "Land level & Swampy. Apr. 30th 1829.

T 29 N. R. 6. E 2nd Mer. Indiana.

411

East On Random between Sec. 13 & 24.

40 00 Set a stump for the Post

80 45 Intersect the N. & S. line or E. Boundary 80 links North of the Post.

Land level & 2nd rate. Timber Beech. Ash. Oak. Hickory. Spice. Dogwood & Chenoweth.

West Connected between Sec. 13 & 24.

40 22 Set a for the Post at arcr. dist. from which
a Buck 15 in. diam. bears S 75 E 36 links dist. &
a Do 16 " " " S 58 W 8 " "

80. 45 To the Corner.

North Between Sec. 13 & 14.

7. 60 A Buck 24 in. diam.

40. 00 Set a for the Post from which
a Buck 14 in. diam. bears N 45 E 28 links dist. &
a Do 24 " " " N 50 W 18 " "

49. 60 An Elm 24 " "

65. 00 Enter Swamp or Wet Prairie.

76 00 The Waters apuage.

80. 00 Set a Post Corner to Sec. 11 12 13 & 14 from which
a B Oak 11 in. diam. bears East 3 links dist. &
an Ironwood 10 " " " N 85 W 20 " "

East On Random between Sec. 12 & 13

40. 00 Set a stump for the Post. in Swamp.

79. 50 Intersect the E. Bound. near Post in Swamp.

West Connected between Sec. 12 & 13.

39. 75 Set a for the Post at arcr. dist. from which
an Elm 12 in. diam. bears N 12 W 19 links dist. &
a Maple 10 " " " S 61 E. 12 " "

79 50 To the Corner.

North Between Sec. 11 & 12.

Twp. N. R. 6. E. 2nd Mer. Indiana.

- 17.10 A Sugar 24 in. diam.
 40.00 Set a 9th Sec. Post. from which
 a Beech 8 in. diam. bears N 48 E 17 links dist. &
 an Ironwood 5 " " " N 37 W 3 " "
 60.40 A Sugar 12 " "
 80.00 Set a Post Corner to Sec. 1. 2. 11 & 12. from which
 a Buckeye 6 in. diam. bears S 81 E 3 links dist. &
 a Do 8 " " " N 71 W 21 " "
 The Country here is full of small Millen Swamps.
 with some spots of Dry rich Land.

- East On Random between Sec. 1 & 12.
 40.00 Set a Temp^l 9th Sec. Post.
 80.40 Intersect the E. Boundary in Swamps.
 about 1.90 links North of Post

- West Connected between Sec. 1 & 12.
 40.20 Set a 9th Sec. Post at a cor. dist. from which
 an Elm 8 in. diam. bears S 70 W 14 links dist. &
 an Ironwood 8 in. " " S 48 E 9 " "
 80.40 To the Corner.

- North Between Sec. 1 & 2.
 6.25 A W Oak 48 in. diam.
 10.84 Intersect in Eel River where a
 Buckeye 10 in. diam. bears East 30 links dist. &
 a Sugar 7 " " " N 60 W 10 " "

- West Between Sec. 2 & 11.
 6.26 To Eel River. where made Corner to Sec. 2 & 11.
 A Walnut 12 in. diam. bears N 11 W 13 links dist. &
 a Do 11 " " " S 49 E 28 " "

- North Between Sec. 34 & 35
 22.30 A Sugar 24 in. diam.
 40.00 Set a 9th Sec. Post from which

413

T 29 N. R. 6. E 2nd Mer. Indiana

an Ash 8 in. diam. bears S 29 N 13 links dist. &
 a Buck 6 " " " N 20 W 13 " "
 57. 31 An Ash 12 " "
 65. 00 Enter Millen Swamp. in swamp
 80. 00 Set a Post Corner to Sec. 26 27 34 & 35, from which
 an Ash 12 in. diam. bears N 21 W 20 links dist. &
 a Willow 6 " " " S 46 W 13 " "
 Land on the 1st 1/2 mile level & 2nd note. Timber,
 Ash. Poplar. Buck. Elm. Sugar &c.

East On Random between Sec. 26 & 35.
 40. 00 Set a Temp. qz the Post.
 80. 50 Intersect the N & S line 300 links North of Post.
 This line is mostly in swamp.

West Connected between Sec. 26 & 35.
 40 25 Set a qz the Post at aver. dist. from which
 a Poplar 10 in. diam. bears S 56 E 9 links dist. &
 a Buck 6 " " " N 17 W 23 " "
 80 50 To Sec. Corner. June 1st 1828.

North Between Sec. 26 & 27.
 14 00 A W Ash 16 in. diam.
 40. 00 Set a qz the Post from which
 a W. Oak 20 in. diam. bears N 71 W 47 links dist. &
 a Do 6 " " " S. 24 W. 7 " "
 57. 00 A Brook 16 links wide. Course S W.
 64 24 A W Ash 15 in. diam.
 80. 00 Set a Post Corner to Sec. 22. 23. 26 & 27 from which
 an Elm 24 in. diam. bears N 31 W 6 links dist. &
 a Buckeye 16 in. " " S 40 W 24 " "
 Land on the 1st 1/2 mile rolling, last 1/2 level & good
 2nd note Timber. Walnut. Poplar. Ash. Sugar. &c.
 Undergth Spice. Sugar. Hickory. &c.

East On Random between Sec. 23 & 26

T 29 N. R 6 E 2nd Mer Indiana.

40.00 Set a Temp^o of the Post.
 57 00 A Brook 16 links wide. Course S W.
 80 40 Intersect N & S line 184 links North of the Post.
 Land level & good 2nd rate inclining to net
 Timber as before.

West Connected between Sec^s 23 & 26.

40.20 Set a gp the Post at aver. dist^y from which
 a Buckeye 6 in. diam. bears N 18° E. 15 lks. dist^y &
 a Sugar 8 " " " N 64° W 24 " "
 80 40 To the Corner.

North Between Sec^s 22 & 23.

10.20 A Hickory 10 in. diam.
 40.00 Set a gp the Post from which
 a Buck 24 in. diam. bears S 6° E 29 links dist^y &
 a Do 11 " " " S 88° W 7 " "
 58.20 Ash 20 " "
 80 00 Set a Post Corner to Sec^s 14 15 22 & 23 from which a
 Buck 7 in. diam. bears N 24° E 9 links dist^y & a
 Do 12 " " " S 51° W 7 " "
 First 1/2 mile level. Last 1/2 rolling & good 2nd rate.
 Timber as before. Undergth Spruce &c.

East On Random between Sec^s 14 & 23.

31 00 A Brook 8 links wide Course North.
 40.00 Set a Temp^o of the Post.
 81.00 Intersect the N & S line 70 links North of the Post.
 Land level & 2nd rate

West Connected between Sec^s 14 & 23.

40 50 Set a gp the Post at aver. dist^y from which
 a Buck 12 in. diam. bears N 54° E 11 links dist^y &
 an Ash 6 " " " S 54° W 18 " "
 81 00 To the Corner.

T 29 N. R 6 E 2nd Mer Indiana.

415

North Between Secs 14 & 15.
 20.30 A Buck 20 in. diam.
 39.00 A Brook 8 links wide. Course N W.
 40.00 Set a q^r the Post from which
 a Buck 8 in. diam. bears N 50 W 33 links dist &
 a Sugar 30 " " " S 58 W 32 " "
 46.00 A Stream 20 links wide. Course N W
 58.84 A Buck 30 in. diam.
 80.00 Set a Post Corner to Secs 10 11 14 & 15 from which
 a W. Oak 20 in. diam. bears North 15 links dist
 & a Buck 6 " " " N 35 W 17 " "
 Land rolling & 1st rate.

East On Random between Secs 11 & 14.
 40.00 Set a stump^s q^r the Post.
 81 00 Intersect the N & S line 120 links North of the Post.
 Land level & rich.

West Connected between Secs 11 & 14.
 40 50 Set a q^r the Post at aver. dist. from which
 a Buck 10 in. diam. bears N 67 W 11 links dist &
 a Do 5 " " " S 13 E 17 " "
 81.00 To the Corner.

North Between Secs 10 & 11. To Cal River
 7.30 Intersected the River & made Corner from which
 a B. Oak 24 in. diam. bears S. 60 W 4 links dist &
 a Buckeye 8 " " " N. 1 W 12 " "

West Between Secs 10 & 15.
 7.10 A B Oak 16 in. diam.
 8 38 Intersect River, where made Corner to Secs 10 & 15
 from which
 a W. Oak 20 in. diam. bears N 78 E 12 links dist &
 a Sugar 12 " " " S. 9 E 10 " "

June 2nd 1828.

T 29 N. R 6 E 2nd Mer Indiana.

North Between Secs 33 & 34.
 25.00 A Maple 24 in. diam.
 40.00 Set a gr. Sec Post from which
 an Elm 30 in. diam. bears S 48 W 8 links dist &
 a Do 24 " " " S 20 E 7 " "
 53.80 A Brook 8 links wide. Course S W.
 62.20 An Ash 20 in. diam.
 80.00 Set a Post Corner to Secs 27 28 33 & 34 from which
 a Hickory 18 in. diam. bears N 30 W 18 links dist &
 an Ironwood 8 " " " S 20 E 6 " "
 Land level. and good 2nd rate. Timber - Beech.
 Sugar. Ash. Poplar. Oak &c. Undergrowth - Hickory.
 Spice. &c.

East On Random between Secs 27 & 34.
 40.00 Set a Temp^o gr Sec Post.
 75.00 Enter Willen Swamp.
 80.00 find no Corner in swamp. therefore
 establish on Random
 Land 2nd rate.

West Connected between Secs 27 & 34.
 40.00 Set a gr. Sec Post at area. dist from which
 a Beech 12 in. diam. bears South 10 links dist &
 a Do 12 " " " N 63 E 20 " "
 80.00 To Sec. Corner.

North Between Secs 27 & 28
 40.00 Set a gr. Sec Post from which
 an Ash 11 in. diam. bears N. 51 W 12 links dist &
 a W. Beech 10 " " " S 13 W 11 " "
 58.34. A Stream 18 links wide. Course W.
 80.00 Set a Post Corner to Secs 21. 22 27 & 28. from which
 an Ash 12 in. diam. bears N 33 E 15 links dist &
 a Beech 7 " " " N 29 W 8 " "
 Land level & good 2nd rate, Timber. Beech. Elm.

417

T 29 N. R. 6. E. 2nd Mer. Indiana.

Sugar. Poplar. Walnut. very thick Undergth.
of Spice.

East On Random between Sec? 22 & 27.
40.00 Set a temp^o gr Sec Post.
80.00 Intersect the N & S line 2 links South of the Post.
This line was Randomed West & Corrected East
notwithstanding it reads otherwise.

West Corrected between Sec? 22 & 27.
110.00 Set a gr Sec Post from which
a Beech 9 in. diam. bears N 69 E 10 links dist, &
a Hickory 12 " " " S 14 W 5 " "
Land good. Timber same.
80.00 To Sec Corner.

North Between Sec? 22 & 21
15.00 A Hickory 18 in. diam.
40.00 Set a gr Sec Post from which
a Beech 18 in. diam. bears S 14 E 30 links dist, &
a Dr 12 " " " N 55 W 26 " "
52.12 A Sugar 18 " "
70.12 A Brook 6 links wide. Course West.
80.00 Set a Post Corner to Sec? 15 16 21 & 22 from which
a Beech 8 in. diam. bears N 8 E 14 links dist, &
a Sugar 11 " " " S 48 W 5 " "
Rich 2nd rate land.

East On Random between Sec? 15 & 22.
40.00 Set a temp^o gr Sec Post.
80.10 Intersect the N & S line 1.60 links South of the Post.
Land level & 2nd rate. Timber. Beech Sugar.
Elm. Poplar. & Undergth Spice

West Corrected between Sec? 15 & 22.
40.05 Set a gr Sec Post at aver. dist from which

T^y N. P. C. E. 2nd Mer. Indiana

There is no gp. Sec. Post established on this line
the Hagle lines having
I presume to set a Temp^o Post.

North To Eel River. Sec^s 15 & 16.

7.00 A B Oak 12 in. diam.

36.80 Intersected River & made Corner to Sec^s 15 & 16.
from which
an Ash 24 in. diam. bears North 5 links dist &
a Do 8 " " " S 34 W 11 " "

West Between Sec^s 16 & 21.

To Eel River

32.09 Intersect River where made a Corner to Sec^s
16 & 21. from which

a Hackberry 10 in. diam. bears S 54 W 6 lbs dist &

a Buckeye 5 " " " N 82 E 6 " "

Land level & rich. June 4th 1828.

North Between Sec^s 32 & 33.

40.00 Set a gp. Sec. Post. from which

a B. Oak — in. diam. bears S 68 E 8 lbs dist &

a Buck 8 " " " N 118 W 15 " "

07.30 A Hackberry 18 in. diam.

50.00 Set a Post Corner to Sec^s 28, 29, 32 & 33. from which

a Buckeye 10 in. diam. bears N 3 W 21 lbs dist &

a Do 6 " " " N 53 W 10 " "

Land level & rich. Timber Hackberry. Hickory.
Elm. Walnut. Sugar. Poplar.

East On Random between Sec^s 28 & 33.

40.00 Set a Temp^o gp. Sec. Post.

80.00 Intersect N. & S. line at Post.

Land on the 1st 1/2 mile inclining to West.

Last 1/2 mile rolling & 1st note. Timber as before.

419

T. 29 N. R. 6. E 2nd Mer. Indiana.

West Connected between Secs. 28 & 23.
 40.00 Set a gr. Sec. Post from which
 a W. Oak 30 in. diam. bears S 58 W 19 links dist. &
 a Sugar 30 " " " N 31 E 16 " "
 80.00 To Sec. Corner.

North Between Secs. 28 & 29.
 18.68 A Hackberry 18 in. diam.
 40.00 Set a gr. Sec. Post* from which
 a Walnut 18 in. diam. bears South 1.46 links dist. &
 a Buckeye 8 " " " S 23 E 88 links "
 *This Post in small Prairie of about 4 acres.
 40.00 A Stream 25 links wide. Course S W.
 80.00 Set a Post Corner to Secs. 20 & 21. 28 & 29. from which
 a Buckeye 20 in. diam. bears S 47 W 28 links dist. &
 a Buck 12 " " " S 11 E 34 " "
 Land level & 1st rate. Timber. Hackberry. Cherry.
 Walnut Buck. &c. Underg. & pice. Sassafras.
 Leatherstockg. &c.

East On Random between Secs. 21 & 28.
 40.00 Set a Temp. gr. Sec. Post
 80.94 Intersect the N & S line 400 links North of the Post.
 First 1/4 mile. level & net Land. Last 1/4 level &
 1st rate. Timber as before.

West Connected between Secs. 21 & 28.
 40.47 Set a gr. Sec. Post at area. dist. from which
 an Ironwood 8 in. diam. bears S 66 W 6 links dist. &
 a Do 11 " " " N 71 E 20 " "
 80.94 To Sec. Corner.

North Between Secs. 20 & 21. To Eel River
 17.53 A Buckeye 18 in. diam.
 40.00 Set a gr. Sec. Post from which
 a Buck 15 in. diam. bears N 70 W 20 links dist. &

Tg A. R O E 2nd Mer. Indiana.

Buck 8 in. diam. bears S 65 W 19 links dist.
 50.83 Intersect Eel River. where made Corner to Sec. 20 & 21.
 an Ironwood 8 in. diam. bears N 49 E 7 links dist. &
 a Buck 4 " " " West 19 " "
 Land level & 1st rate. Timber as before.
 June 3rd 1828.

North Between Sec. 31 & 32.
 40.00 Set a gr. Sec. Post from which
 a Buck 30 in. diam. bears N 45 E 22 lks dist. &
 a Cherry 5 " " " S 77 W 12 " "
 54.95 A Sugar 10 in. diam.
 80.00 Set a Post Corner to Sec. 29 30 31 & 32 from which
 an Elm 40 in. diam. bears N 85 W 22 links dist. &
 a Buck 10 " " " N 87 E 10 " "
 Land level & good 2nd rate. Timber. Buck. Ash.
 Hackberry. Spice. Pawpaw. &c.

East On Random between Sec. 29 & 32.
 40.00 Set a Temp^l gr. Sec. Post.
 80.00 Intersect N & S line at Post.
 Land level & very rich. Timber. Buck. Elm.
 Walnut. Ash Cherry. Oak. Spice. Pawpaw. &c.

West Corrected between Sec. 29 & 32.
 40.00 Set a gr. Sec. Post from which a
 Hickory 5 in. diam. bears S 85 E 13 links dist. & a
 Walnut 4 " " " S 34 W 11 " "
 80.00 To Sec. Corner.

North Between Sec. 29 & 30.
 8.55 An Elm 20 in. diam.
 40.00 Set a gr. Sec. post from which
 an Elm 10 in. diam. bears N 24 W 9 links dist. &
 a Sugar 12 " " " S 70 E 17 " "
 80.00 Set a Post Cor. to Sec. 19 20. 29 & 30. from which a

Ty. St. R. O. & 2nd Mer. Indiana.

421

Sugar 10 in. diam. bears S 32 E 5 links dist. & a
 Beech 12 " " " N 30 E 9 " "
 Land level & inclining to NW. Timber the same
 time immemorial

East On Random between Sec. 20 & 29.
 11. 01 A Brook 25 links wide. Course N 4 W
 40. 00 Set a Temp^l gr. Sec Post
 78 50 Intersect the N & S line 267 links North of the P.R.
 Land 2nd rate.

West Connected between Sec. 20 & 29.
 39 25 Set a gr. Sec Post at area. dist. from which
 a W. Oak 30 in. diam. bears South 5 links dist. &
 a Do 36 " " " S 75 E 15 " "
 78 50 To Sec Corner.

North Between Sec. 19 & 20. To Eel River
 4. 57 A Stream 25 links wide. Course West-
 5. 10 A Buckeye 10 in. diam.
 28. 52 Intersect the River where set a Post Cor. to fract.
 Sec. 19 & 20. from which
 a W. Beech 6 in. diam. bears N 67 W 3 lks dist. &
 a Do 6 " " " N 36 E 14 " "
 Land rich.

West Between Sec. 19 & 30. To Eel River
 19. 32 Intersected Eel River where made Corner to Sec.
 19 & 30 from which
 an Elm 7 in. diam. bears N 60 E 7 links dist. & a
 Beech 10 " " " S 77 W 4 " "
 Land Rolling and 2nd rate. Timber. Beech. Ash.
 Sugar. & Spice. Beech. &c.

West Between Sec. 30 & 31. To Eel River
 33 00 A Brook 10 links wide Course S W

T29 N. R. 6. E. 2nd Mer. Indiana.

- 40.00 Set a gr. Sec. Post from which
 a Buckeye 14 in. diam. bears S 24 E 10 links dist 5th
 a Buck 10 " " " " N 79 W 9 " "
- 48.00 A Brook 14 links wide. Course N 4 W.
- 60.34 Intersected Cold River where made corner to Sec.
 30 & 31. an R. Oak 12 in. diam. bears North 10 links
 dist and a Do 10 " " " " N 74 W 7 "
- " Land Rolling & 2nd rate. Timber. Ash.
 Oak. Buck. Sugar. &c.

Commenced Meandering at the Corner on the
 line dividing the Ranges 6 & 7 thence down
 Cold River down on Bank.

Course	Distances	Remarks.
S 86 W	7.00	
S 87 W	11.50	At 750. A Spring Brook
N 47 W	4.50	
N 74 W	11.00	
N 31 W	4.00	
N 88 W	3.00	
S 5 E	2.00	
S 35 E	11.00	
S 16 E	8.00	
S 31 W	10.00	
S 01 W	5.00	
S 52 W	6.00	
S 77 W	3.00	
S 57 W	790.	Intersect the Corner of Sec. 1 & 2.

S 59 W	8.00	
S 32 W	5.00	
S 16 E	6.50	
S 10 E	1.63	Intersect the Corner of Sec. 2 & 11.

S 2 E	4.00	
S 34 W	22.00	

T 29 N. R. 6 E 2nd Mer. Indiana

423

S 65 W 6.50 At .50 A Spring Brook.

S 50 W 4.00

S 37 W 9.00

S 70 W 4.00

S 82 W 10.00

N 51 W 6.00

N 80 W 7.00

S 40 W 5.00

S 1 E 12.00

S 39 W 10.00

S 30 W 6.00

S 57 W 13.00

N 76 W 1.27 Intersect at Corner of Sec. 10 W.

S 19 W 1.82

S 30 W 1.50

S 47 W 3.00

S 68 W 5.00 Intersect at Corner of Sec. 10 W.

June 2nd 1828.

South 18.00

S 23 W 4.00

S 44 W 3.00

S 9 E 6.50 At 5.50 A Brook 9 links wide Course S W.

S 34 E 13.00 At 4.00 A Spring Branch

At 8.00 much fall in the River.

S 19 W 14.00

S 78 W 13.00 At 5.50 A Brook 6 links wide Course

N 69 W 13.00

N 37 W 5.00

N 8 W 7.50

N 55 W 2.50

S 63 W 3.50

S 43 W 7.00

S 77 W 7.00

N 67 W 14.50

Fig. A. P. O. E. 2nd Mer. Indiana.

S 87 W 4.50
S 58 W 2.15 Intersect Corner of Sec. 15 & 16.

S 27 W 7.00 Opposite a small island.
South 15.00

S 39 W 7.00

S 30 W 3.00

West 22.00

S 30 W 2.00 Intersect Corner of Sec. 16 & 21.

S 23 W 12.00 Mouth of small Brook:

S 14 E 2.50

South 5.00

S 49 W 3.50

S 30 W 4.00

S 77 W 12.00

N 58 W 5.00 At 4.00 Upper end of Island

West 6.00

S 06 W 15.00

S 45 W 4.00

June 4th 1828.

S 48 W 2.50 Intersect at Corner of Sec. 21 & 21.

N 81 W 21.00

S 42 W 4.00

S 68 W 16.00

N 61 W 10.00

S 81 W 5.00

S 33 W 5.00

S 16 W 11.00

S 49 W 19.00

N 80 W 3.00

N 45 W 4.00

N 15 W 4.50

N 58 W 1.34 Intersect at Corner of Sec. 19 & 20.

S 73 W 1.50

Comp.

Twp. N. R. 6. E. 2nd Mer. Indiana.

425

S 15 W 6.00

South 3.50

S 14 W 11.00 Mouth of Stream 25 links wide.

S 47 W 9.00

S 70 W 5.77 Intersect at Corner of Sec. 19 & 30.

S 34 W 20.00

S 53 W 4.00

West 7.00

S 27 W 5.00

South 8.00

S 42 E 13.00

S 20 E 7.50

S 30 E 5.00

S 57 E 2.00

S 23 E 6.00

S 5 W 5.00

S 73 W 2.00

S 54 W 9.00

S 77 W 4.00

West 11.00

S 64 W 5.00

S 27 W 3.00 At 75 A Brook 8 links wide Course S W.

S 5 W 4.00 Intersect at Corner of Sec. 30 & 31.

South 2.50

S 25 W 7.50

S 48 W 2.55 Intersect at Corner in Range line
between Ranges 5 & 6.

June 5th 1828.

Bar. 6'00" E

Surveyed by
John Hendricks.
Dep. Surveyor.

T 29 N. Range 6 E 9th Mer. Indiana.

Pursuant to a Contract dated 29th of January 1828 with, and instructions from Edward Tiffin Surveyor General of the United States, I have surveyed and subdivided into sections the foregoing Township in Indiana described in said Contract. And I Certify that the foregoing are the true and correct field notes of the lines which they purport to be as part of said Contract.

Certified this 24th day of July 1828.

John Hendricks.

Dep. Surveyor.

427

T. 29. N. R. 6. E. 2nd Mer. Indiana.

Subdivisions of Township N 29. Continued.

North From the Left Bank of Eel River between Sec. 1 & 2.

18 54 Run heretofore.

20 11 Set a Post on the Right Bank of Eel River Corner of fractional Sec. 1 & 2. from which a
Blue Ash 12 in. diam. bears N 32 W 13 links dist. &
a Do 18 " " " N 24 E 72 " "

24 78 A W Elm 28 " "

31 50 Enter West Prairie

38 50 Left the same S W. ascend bank 25 feet high.

40.00 Set a gr. Sec. Post from which
a W. Oak 14 in. diam. bears N 24 W 50 links dist. &
a Do 14 " " " S 37 E 17 " "

42.75 An Indian Trail N. E. 52-08 A W Oak 24 in. diam.

63.80 A Poplar 24 in. diam.

71.95 An Indian Trail E. N. E.

74.50 A W Oak 20 in. diam.

77.18 Intersect the North Boundary 1.13 links West of the
Post where Set a Post Corner of Sec. 1 & 2. from which
a W. Oak 18 in. diam. bears S 29 E 48 links dist. &
a Do 20 " " " S 53 W 00 " "

Land mostly level. 1st 30 chains rich 1st mile
Balance 2nd rate. Timber. White Red & Burr Oak.
Elm. Walnut Poplar. Hackberry. Buckeye & Sycamore.
Hickory. Vines. Brirs. &c.

North Between Sec. 10 & 11.

From the Left Bank of Eel River

7.30 Run heretofore

10.08 Set a Post on the Right Bank of Eel River Cor. of
frac. Sec. 10 N. from which
a W. Oak 22 in. diam. bears N. 18 W 265 links dist. &
a Do 20 " " " N. 5 E. 3.12 " "

12.25 Ascend Bank 20 feet high.

15.00 Level Land

18.54 A W. Oak 18 in. diam.

Tr. N. R. O. E. Ind. M. Indiana.

- 31.50 A W. Oak 16 in. diam.
 33.05 An Indian trail Course N.E.
 40.00 Set a pt. the Post from which
 a W. Oak 22 in. diam. bears S 31 W 10 links dist. &
 a Do 20 " " " N 55 E 50 " "
 47.54 A W. Oak 21 " "
 50.50 A Mound bears S 87 W 325 links dist.
 A Do " N 25 W 1.00 " " 5 or 6 feet high.
 unfinished.
 60.62 A W. Oak 10 in. diam.
 64.00 Enter Wet Prairie mostly West.
 73.00 Left same.
 80.00 Set a Post corner to Sec. 2, 3, 10, & 11. from which
 a W. Oak 18 in. diam. bears S 27 W 135 links dist. &
 a Blk Oak 24 " " " N 72 E 00 " "
 Land level & 2nd rate. Timber. W. Oak. Black Oak
 &c. Undergth. Sapafus. Briars. Vines &c.

-
- East On Random between Sec. 2 & 11.
 25.50 Descend Bench 20 feet high, & Enter Wet Prairie
 30.70 A Stream 12 links wide. Course S.E. Clear &c.
 33.07 Left Wet Prairie. - 35.00 Ascend Summit
 40.25 Indian trail Course N.E.
 52.55 Descend Steep Bank & Enter Wet Prairie.
 59.50 Muddy Stream 25 links wide. C.S. South
 61.00 Left Wet Prairie N & E.
 72.50 Right Bank of Eel River
 70.08 A Post 2.22 North of the Post on the Left Bank
 of Eel River.
 Land on the 1st 52 chains open inferior 2nd rate.
 Ballance level rich 1st rate Land. Timber. White
 Red & Black Oak. Hackberry. Buckeye. Walnut
 &c. Undergth. Sapafus. Spice. Vines. Briars &c.

-
- West Connected between Sec. 2 & 11. From post on Left Bank of River
 6.26 Run heretofore.

T 29 N. R 6. E 3rd Mer. Indiana.

429

- 9:20 Set a Post on the Right Bank of Elk River. Cor.
of Fractional Sec. 2 & 11. from which
a Honey Locust 10 in. diam. bears S 48 W 20 lks disy.
a W. Elm. 14 " " " S 76 W 53 " "
- 12 10 From Sec Corner A Lynn 24 in. diam.
- 41 47 Set a 2d Sec Post. from which
a W. Oak 24 in. diam. bears S 53 W 50 links disy &
a Buckeye 18 " " " S 38 E 1.13 " "
- 59 47 A Blk Oak 24 " "
- 73 35 A W. Oak 14 " "
- 52.94 To Sec. Corner.

- North Between Sec. 2 & 6.
- 0 75 Enter Wet Prairie
8. 00 Left same S W
10. 10 A Rock 5 feet long lies E & W
13. 57 A W. Oak 20 in. diam.
- 27.80 A W Oak 20 " "
- 40.00 Set a 2d Sec Post. from which
a W. Oak 20 in. diam. bears S 70 W 53 links disy &
a Blk. Oak 10 in. " " S 50 1/2 E 84 " "
44. 31 A W. Oak 16 " "
- 52.40 An Indian Trail. Course N. E.
- 60.50 Enter Swamp
63. 00 Left same.
- 65.00 Enter Swamp.
- 71.40 Left the same & crossed Stream 10 links wide. Course
S E. Brisk Current.
- 76.08 Intersect the North Boundary 491 links West of
the Post where set a Post-Corner of Sec. 2 & 3.
from which
a W. Oak 20 in. diam. bears S 11 1/2 E 22 lks disy &
a Lynn 14 " " " S 14 W 50 " "
- Land level & inferior 2nd rate. Timber. Black. Burr.
& White Oak. Ash. &c. Undergrowth. Sassafras. Oak.
Willow. Dogwood Briers &c. Feb 10th 1834.

T. G. N. R. O. E. I. M. A. Indian.

North Between Secs 15 & 16.
 From Post on the Left Bank of Eel River
 31.80 of line run heretofore
 35.54 Set a Post on the Right Bank of Eel River, Cor.
 of Secs 15 & 16 from which
 a W. Oak 18 in. diam. bears N 22 W 16 links dist 8
 a Do 20 " " " N 57 E 42 " "
 40.00 Set a 2^d vic post from which
 a W. Oak 14 in. diam. bears N 73 W 18 links dist 8
 a Do 22 " " " S 64 E 7 " "
 44.45 A W Oak 26 " " " "
 61.23 A Burr Oak 14 in. diam.
 62.50 Enter Swamp.
 72.50 Left same.
 73.34 A Blk Oak 22 in. diam.
 73.90 An Indian Trail E. & N E
 80.00 Set a Post Corner to Secs 9 10 15 & 16 from which
 a W. Oak 20 in. diam. bears S 53 W 26 links dist 8
 a Do 20 " " " N 58 E 38 " "
 Land level. Part 2nd & Part 3rd rate. Timber.
 White Red & Burr Oak. Black Oak. Hickory.
 Ash & Undergth " Briers. Vines " &c.
 Lake bears N E in view.

East On Random between Secs 10 & 15.
 2.00 Enter Prairie
 15.00 Outlet of Lake 25 links wide. Course S S E.
 Lake bears N E. Supposed Area 12 Acres.
 32.50 Left Wet Prairie
 33.90 Old Indian Trail N E.
 67.50 Right Bank of Eel river
 71.58 A Point 89 links length of the Post (Old) on the
 Left Bank.
 Land level. 2nd & 3rd rate. Timber. White. Black.
 & Red Oak Hickory &c. Undergth Tapafras. Vines
 Briers &c.

T 29 N. R 6 E 2nd Mer. Indiana.

431

West Connected between Sec. 10 & 15.
 8 88 Run heretofore.
 12 40 At W Oak on the Right Bank of River 20 in.
 diam. Corner of Sec. 10 & 15.
 21 54 At W Oak 16 in. diam.
 40 23 Set a 92 the Post at acer. dist. from which
 a W. Oak 26 in. diam. bears N 30° W 45 links dist. &
 a Do 20 " " " S 05° E 08 " "
 45 03 At W. Oak 20 " "
 50 40 To the Corner.

North Between Sec. 9 & 10.
 1. 00 Enter West Prairie.
 11. 50 Left " " mostly East.
 13. 50 A Black Oak 18 in. diam.
 18. 50 Enter West Prairie
 20. 15 A Brook 6 links wide Course S.E. into Lake
 22. 00 Left West Prairie
 24. 22 At W Oak 18 in. diam.
 27. 50 Enter West Prairie
 40. 00 Set a 92 the Post from which
 a W. Oak 20 in. diam. bears N 88° W 56 links dist. &
 a Do 20 " " " S 25° E 12 99 " "
 00. 00 Left West Prairie. Small Lake bears At W.
 65. 50 Enter West Prairie
 73. 40 Left the same. a Black Rock 3 feet in diam.
 lies 2 links West of the line
 80. 00 Set a Post Corner to Sec. 3. 4. 9 & 10 from which
 a Blk Oak 20 in. diam. bears S 30° W 27 links dist. &
 a W. Oak 22 " " " N 66° E 24 " "
 Land level. 2nd & 3rd. Timber. White Red &
 Black Oak. Hickory &c. Underg. Sassafras.
 Oak. & Red root.

East On Random between Sec. 3 & 10
 31. 00 Enter West Prairie

T 24 N. R 6 E 2nd Mer. Indiana.

41.07 Set a Stamp Post on the West Margin of Lake.
Offset North 5.00

75.50 Reduced Offset

79.80 Intersect N & S line 99 links South of the Post.
Land level & 9th rare. Timber. Hickory. White
Black & Red Oak. &c. Undergrowth Oak Saplings.
& Hickory. &c.

North Connected between Sec. 3 & 4.

3. 74 Set a Post on East Margin of Lake from which
a W. Oak 18 in. diam. bears S 81 $\frac{1}{2}$ E 160 links dist. &
a Do 18 " " " N. 74 E 207 " "

38.30 Set a Post on the West side of Lake from which
a W. Oak 18 in. diam. bears N 10 $\frac{3}{4}$ E. 4. 90 lbs. dist.

39.91 Set a 9th Sec Post from which a
a W. Oak 30 in. diam. bears N. 58 W. 307 links dist. &
a Hickory 18. " " N. 75 W. 3.00

54.70 A W. Oak 18 " "

64.15 A W. Oak 24 " "

79.81 To Sec. Corner.

North Between Sec. 3 & 4.

1. 75 Enter Brush Swamp.

4.00 Left the same. Prairie West.

15.00 Descend into Valley of West Prairie

27.00 Left Prairie & ascend hill. N.E. & S.W.

30.69 A Black Oak 20 in. diam.

34.40 Indian Trail. Course S.E.

40.00 Set a 9th Sec Post from which

a Hickory 18 in. diam. bears S 63 E 50 links dist. &
a Do 16 " " " N. 78 W. 8 " "

42.30 A Do. 20. " "

57.62 A Rock 6 by 4 feet. & 3 feet high.

Descend into Valley of West Prairie.

63.50 Left West Prairie & ascend hill. Prairie N.W.

69.07 A W. Oak 20 in. diam.

T 29 N R 6 E 2nd Mer. Indiana.

433

- 70.50 Descend steep hill
 73.50 A Stream 20 links wide. Cr. & S.E. Brisk Current
 & Gravel Bottom.
 77.26 Intersect the North Boundary 470 links West of
 the Post. where set a Post Corner of Sec. 3 & 4.
 from which a
 a W. Oak 18 in. diam. bears S 9 E 24 links dist, &
 a Do 24 " " " S 33 W 101 " "
 Land part level & part Rolling 2nd & 3rd sec. Timber.
 White Red & B. Oak. Hickory. Ash Elm. Sassafras.
 Hickory. Oak. &c. Feb. 11th 1834.

- North Between Sec. 20 & 21.
 From the Left Bank of Eel River
 50.83 Run heretofore
 54.58 Set a Post on the Right Bank of Eel River. Corner
 to Tract Sec. 20 & 21. from which a
 Blue Ash 16 in. diam. bears N 17 W 23 links dist, &
 W. Oak 22 " " " N 62 E 31 " "
 62.51 A Buck 14 " "
 67.85 A Red Elm 5 " "
 71.80 A Glade 2 links wide. Course S W
 80.00 Set a Post in the South edge of a dead running Stream
 25 links wide. Course S W. Corner of Sec. 16 17. 20 & 21.
 from which a
 Buck 14 in. diam. bears N 34 W 79 links dist, & a
 Do 22 " " " S 22 E 14 " "
 Land level & moderate. Timber. White. Birch.
 & Red Oak. Buck. Ash. Elm. Lumn. Poplar.
 Walnut. Sugar. &c. Undergr. Herb. &c. Spice.
 Buckeye. Red-bud. Hickory. &c.

- East On Random between Sec. 15 & 21.
 2.00 Left Dead Stream N N W
 16.50 Enter Marsh.
~~18.00 Left the same.~~

T 29 N. R 6 E 2nd Mer. Indiana.

- 15.00 Left the Marsh NE & S W.
 29.50 Enter Marsh 100 links wide. Course S W.
 40.20 Right Bank of Eel River
 49.50 A Point 2.28 links North of Post on the Left Bank.
 Land level & rich 2nd rate. Timber. White Birch &
 Red Oak, Hickory, Elm, Lymn, Ash, Poplar, Walnut
 &c. Undergrowth. Spice. Hazle. Sugar Oak. Birch.
 Note This wide ~~enclosure~~ induced me to remeasure
 the line from the Corner of Secs. 20 21 28 & 29.
 Found the same to be 43 links shorter than
 reported, Therefore to put on the lawful measure
 would make my closing line still more diagonal
 The difficulty must have originated South of
 the River, perhaps in the Base line.

- West Connected between Secs. 16 & 21.
 32.09 Run heretofore
 35.53 Set a Post on the Right Bank of Eel River. Corner
 to fract. Secs. 16 & 21. from which
 a W. Oak 18 in. diam. bears S 49 W 27 links dist &
 a D. 20 " " " N. 52 W 14 " "
 38.92 A W. Oak 26 " "
 40.79 Set a 2nd Sec Post. on true line. from which
 a Lymn 20 in. diam. bears N. 38 E 35 links dist &
 a W. Thorn 4 " " " S. 71 W 22 " "
 48.59 A Buck 14 " "
 64.90 A Black Ash 20 in. diam.
 79.32 A Burr Oak 16 " "
 81.59 To Sec. Corner.

- North Between Secs. 16 & 17.
 13.88 A Red Elm 24 in. diam.
 15.40 Indian Trail Course NE
 26.59 A Red Oak 18 in. diam.
 40.00 Set a 2nd Sec Post from which
 a W. Oak 25 in. diam. bears S 63 W 31 links dist &

Ty A. R. C. & 2nd Mer. Indiana.

435

- W. Oak 18 in. diam. bears N 42 E 85 links dist.
 54.15 A W. Oak 48 in. diam. E. diagonal North.
 56.18 A Blk Oak 18 " "
 59.76 Indian Trail Course E. N E.
 65.20 A W. Oak 15 in. diam.
 68.25 Enter Prairie
 A Creek 40 links wide. A Brush running clear
 Stream Course E. S E.
 80.00 Set a Post Corner to Sec. 8. 9 10 17 from which
 Black Oak 20 in. diam. bears N 21 E. 50 links dist.
 a " Do 20 " " " N 39 W. 452 " "
 Land spot rolling & spot level 2nd rate. Timber
 White Red & Burr Oak. Poplar. Elm. Hickory.
 Lym. Ash. Ye. Undergt. Sassafras. Oak. " Ash.
 Brisers. Vines &c.

- Contd On Random between Sec. 9 10.
 6.50 Cut the North Bend of Creek. Offset North. 1.50.
 9.00 Offset Paid.
 24.50 Scattering Timber
 29.00 Enter Prairie
 61.50 Left the same mostly South & N E. Scattering Timber.
 81.17 Intersect the N & S line 310 links North of the Post.
 Land level & 3rd rate. Mostly Wet Prairie. Timber
 Black & White Oak. Ye. Undergt. Sassafras. Bearroot.
 Whortleberry. Ye.

- West Corrected between Sec. 9 10.
 11.51 A W Oak 12 in. diam.
 40.59 Set a 2nd Sec Post from which
 a W. Oak 24 in. diam. bears North 2.25 links dist.
 a Do 28 " " " N 42 W 400 " "
 81.18 To Sec Corner

- North Between Sec. 8 & 9.
 5.00 Small grove bears East.

T. 29. N. R. 6. E. 2nd Mer. Indiana.

- 19.00 Leave West Prairie bears E. & W.
 21.48 A W. Oak 20 in. diam.
 31.70 Indian Trail. Course E. S. E.
 36.18 A Hickory 14 in. diam.
 40.00 Set a q. Sec. post from which
 a Blk Oak 28 in. diam. bears S 68° W 50 links disy &
 a W. Oak 20 " " " N. 50 E 63 " "
 54.50 An Indian trail. N. E.
 58.40 A Hickory 22 in. diam.
 80.00 Set a Post Corner to Sec. 4. 5 8 & 9. from which
 a Burr Oak 16 in. diam. bears S 58° W 43 lks disy &
 a " " 10 " " " N 61° E 22 " "
 Land level 2nd note. Timber. White. Red & Burr
 Oak. Black Oak. Hickory. & Undergth Oak. Horse
 Hickory. &

- East On Random between Sec. 4 & 9.
 14.50 Glade between two Ponds N. E. & S. W.
 21.00 Out the North side of Pond.
 36.80 Indian trail. Course N. E.
 46.00 West Prairie
 57.00 Out the South end of Grove of Timber
 76.00 Enter timbered land.
 80.66 Intersect N & S. line 2.97 links North of the Post.
 Land level. & 2nd note. Timber. White. Red & Blk
 Oak. Hickory & Undergth. Sassafras. Oak.
 " & Feb 5 12th 1834.

- West Connected between Sec. 4 & 9.
 2.01 A W. Oak 10 in. diam.
 39.12 A " 18 " "
 40.33 Set a q. Sec Post at aver. disy from which
 a Hickory 16 in. diam. bears N 53° E 10 links disy &
 a W. Oak 24 " " " S 64° W 45 " "
 43.60 A Hickory 18 " "
 52.29 A W Oak 22

Ty A. R. & E 2nd Mer. Indiana

437

80 00 To Sec. Corner.

North Between Secs 4 & 5.

0 58 A Burr Oak 18 in. diam.

19 00 A Blk Oak 28 " "

30.00 Enter Wet Prairie

40.00 Set a Post from which

a W. Oak 22 in. diam. bears N. 32 $\frac{1}{2}$ W 179 lks dist &

a Do 22 " " " N 26 E 185 " "

41.00 Left Wet Prairie N. & W

43.00 A W. Oak 18 in. diam.

44 50 Enter wet rough Prairie

58.00 Left the same N W & S E.

62 40 A W. Oak 18 in. diam.

73.78 Intersect the North Boundary 580 links West of the Post, where set a Post Corner to Sec. 4 & 5. from which

a Grey Ash 20 in. diam. bears S 44 E 34 lks. dist.

& a Walnut 20 " " " S 14 $\frac{3}{4}$ W 99 " "

Level 2nd rate. Timber. Black. White & Burr Oak. Ash. Elm. Walnut. &c. Undergrowth Oak. Saplings. &c.

West Between Secs 30 & 31.

From the Left Bank of Eel River

80 34 Run heretofore.

83.19 Set a Post on the Right Bank of Eel River. Corner to frac. Secs 30 & 31. from which

a Honey Locust 16 in. diam. bears S 69 W 25 lks dist.

& a Buck 22 " " " N 75 W 24 " "

84 57 Intersect the West Boundary 12 links South of the Post. where set a Post Corner to Secs 30 & 31. from which Red Oak 18 in. diam. bears N 48 E 41 lks dist &

a Buck 12 " " " S 64 $\frac{1}{2}$ E 29 " "

Timber - W. Oak. Red Oak. Sugar. Locust. Buckeye. &c. Undergrowth Ironwood. Sugar. Buckeye. Lym. Ash. &c.

Twp. N. R. 6. E 2nd Mer. Indiana.

West On Random between Secs 19 & 30
 From the Left Bank of the River.
 14 32 Run heretofore
 23 22 Set a Temp^y Post on the Right Bank.
 27 07 Ascend hill & Leave Bottom Land
 43 30 A Brook 5 links wide. Course South
 58 02 A Do 3 " " " South
 61 54 Intersect the West Boundary 108 links North of the Post.
 Land part here. & part rolling 19 & granite.
 Timber. large H Oak. Poplar. Cherry. Red Oak.
 Hickory. Ash. Burr Oak. Buckeye Elm, Lyrn. &c.
 Undergrowth. Hickory. Ash. Spice. Ironwood. Dogwood.
 Pampas. Buckeye. Sassafras. &c.

East Corrected between Secs 19 & 30
 Bearings for Corner on Range line
 a Buck 22 in. diam. bears N 58^h E 15 links dist &
 a Grey Ash 14 " " " S 58^h E 37 " "
 4. 09 Poplar 28 " "
 21. 54 Set a q^r Sec post from which
 a Buckeye 6 in. diam. bears N 45^h E 43 links dist
 & a Ironwood 3 " " " S 37^h N 22 " "
 22. 23 A Walnut 24 in. diam.
 24. 70 A Red Elm 26 " "
 38. 22 Set a Post on the Right Bank of Eel River. Corner
 to frac^t Secs 19 & 30 from which
 a Buckeye 12 in. diam. bears S 84^h N 23 links dist &
 a Do 12 " " " S 56^h N 35 " "
 42. 22 Post on opposite Bank

North Between Secs 19 & 20
 From the Left Bank of Eel River
 28 52 Run heretofore
 32 27 Set a Post on the Right Bank Corner to Secs 19 & 20
 from which
 a Burr Oak 18 in. diam. bears N 27^h E 61 links dist &

439

T 29 N. R. 6. E 2nd Mer Indiana.

- Lynn 20 in. diam. bears S 54 $\frac{1}{2}$ E 181 links dist
 34.40 Indian Trail Course N.E. rise high Bluff.
 40.00 Set a 92 Sec. Post from which a
 W. Oak 22 in. diam. bears S 47 W 63 links dist &
 a D. 20 " " " N 35 E 29 " "
 42.22 A Red Oak 30 in. diam.
 43.04 Indian Trail. Course N.N.W.
 50.11 A W. Oak 18 in. diam.
 79.55 A Brook 6 links wide. Course S.E. Outlet to Swamp.
 which bears N.W.
 80.00 Set a Post Corner to Sec. 17 18 19 & 20 from which. a
 Double Hornbeam 4 in. diam. bears N 21 E 44 links dist & a
 Black Oak 8 " " " S 58 $\frac{1}{2}$ W 45 " "
 Land rolling & 2nd rate. Timber. White. Red & Black
 Burr Oak. Hickory. Poplar. Walnut. Lynn Elm.
 Locust &c. Undergrowth. Huckle. Sassafras. Plum. Bush.
 Buckeye. &c.

-
- East On Random between Sec. 17 & 20.
 31.69 Indian Trail Course N.E.
 34.00 Descend hill and at
 37.00 Enter Marsh.
 43.50 Leave same & rise gently
 57.80 Outlet of Swamp. 10 links wide. Course S. E. E.
 Swamp bears N. N. E.
 82.55 Intersect N & S line 198 links North of the Post
 Land Rolling & 2nd rate. Timber. White. Red. & Black
 Oak. Poplar. Ash. Walnut. Lynn. Burr Oak. &c.
 Undergrowth. Sassafras. Huckle. Hickory. Ash. Sugar.
 Bines. Brims. &c.

-
- West Corrected between Sec. 17 & 20.
 0.75 Left the Marsh.
 14.01 A W Oak 24 in. diam.
 41.27 Set a 92 Sec post at area. dist from which
 a Blk Ash 12 in. diam. bears N 65 $\frac{1}{2}$ W 10 links dist &

Twp N. R. 6. E 3rd Mer. Indiana.

a Black Ash 8 in. diam. bears S 42 E 30 links dist.
 18.56 A W Oak 26 " " "
 52.17 A Do 38 " " "
 66.10 A Poplar 26 " " "
 75.19 A W Oak 18 " " "
 82.55 To Sec. Corner

Nov 6 Between Sec. 18 & 19. On Random.
 1. 50 Enter Wet Prairie or Swamp.
 0. 00 Left the same. Current S E.
 9 00 Glade 75 links wide. Course N E. into Wet Prairie
 Ascend to 12.00
 15 25 Glade S E.
 19 50 Same N E. Quarter of Swamp which bears S W.
 20.63 An Indian Trail Course N E.
 45.00 Enter Wet Prairie or Swamp.
 49 00 Left the same S. S. W.
 56 00 Enter Swamp.
 61 34 Intersect the West Boundary 9 - links North of
 the Post.

Land 1st 1/2 mile rolling & 2nd rate. ballance. 2nd & 3rd
 rate Barrens. Timber. White. Red & Black Oak.
 Hickory. Burr Oak. Elm. &c. Oak. Hickory. & Willow.

Nov 6 Connected between Sec. 18 & 19.
 Bearings for the Corner of Sec. 18 & 19. on Range line.
 a W Oak 22 in. diam. bears S 4 E. 414 lks. dist &
 No other tree near.
 9 59 A W Oak 16 in. diam.
 21 34 Set a q. Sec Post from which
 a W Oak 18 in. diam. bears S 68 E 8 links dist &
 a Do 18 " " " N 18 W 14 " "
 23.71 A W Oak 20 " "
 41 64 A Hickory 16 " "
 61.34 To Sec Corner.

T 29 N. R 6 E. 2nd Mer. Indiana.

141

North Between Secs 17 & 18.
 0 30 A Brook 3 links wide. Course S W.
 15 75 A Dr 3 " " " S W. Steep Banks
 10, 40 A W. Oak 14 in. diam.
 20 41 A Hickory 18 " "
 37 21 A W. Oak 22 " "
 40.00 Set a 2d Sec Post from which a
 W. Oak 24 in. diam. bears S 18 $\frac{1}{2}$ E 53 links dist &
 a Dr 18 " " " N. 20 W 42 " "
 55.08 A W Oak 16 in. diam.
 60, 04 An Indian trail. Course S E,
 60, 18 A W Oak 17 in. diam.
 75.50 Descend Bank.
 77.00 Enter Wet Prairie
 80.00 Set a Post Corner to Secs 7, 8, 17 & 18. from which a
 W. Oak 18 in. diam. bears N 41 $\frac{1}{2}$ W. 299 links dist & a
 Dr 10 " " " N 41 E 379 " "
 Land part level. part rolling inferior. 2nd rate.
 Timber. White. Black & Burr Oak, Hickory &c.
 Undergrowth Hickory Willow &c.

East On Random between Secs 8 & 17.
 11.00 Left Wet Prairie
 6.00 Enter arm of the same N & S.
 10.50 Enter Island.
 15.50 Enter Prairie
 27.00 Scattering Timber
 30.00 Enter Wet Prairie.
 40.00 Scattering Timber.
 43.00 Enter Wet Prairie
 50.00 Cut South Bend of a Stream 30 links wide.
 67 75 Same Stream. Course S E.
 82.24 Intersect the N & S line. 210 links North of the Post.
 Land level & 2nd rate. mostly Prairie Timber, scattering
 Burr & White Oak. Willow

Feb. 13th 1834

T 29 N. R 6 E. 2nd Mer. Indiana.

- West Corrected between Sec. 8 & 17.
 29.54 A W Oak 18 in. diam.
 29.84 A Do. 18 " "
 111.12 Set a gr. Sec Post from which
 a W. Oak 18 in. diam. bears N 74 W 8 links dist &
 a Do. 23 " " " S 68 E 23.
 42.59 A W. Oak 24 " "
 87.01 A Do. 25 " "
 82.24 To Sec. Corner.

- West On Random between Sec. 7 & 18.
 2.50 Left Wet Prairie
 12.00 Indian Trail. Course North.
 12.75 Whortleberry Swamp. Offset North 2.50
 25.50 Reduced Offset. & fell into line
 35.00 Enter Wet Prairie
 61.66 Intersect the Range line 1.87 links North of the Post.
 Wet Prairie & Small Lake. bears N 64 W. supposed
 area of N 6 Lake 5 acres. Land mostly level & 2nd
 rate & 3rd rate. Timber. White & Black Oak.
 Hickory &c. Undergr. Oak. Hickory. Whortleberry
 Willow &c.

- East Corrected between Sec. 7 & 18.
 Bearings from Corner on Range line
 a W. Oak 16 in. diam. bears N 43 E 13 links dist
 & a Blk Oak 22 " " " S 14 3/4 E. 48 " "
 21.66 Set a gr. Sec Post from which
 a W. Oak 18 in. diam. bears S 32 E 104 links dist &
 a Blk Oak 16 " " " S 13 E. 145 " "
 35.72 A W. Oak 24 " "
 53.36 A Do. 10 " "
 61.66 To Sec. Corner.

- North Between Sec. 7 & 8.
 12.00 Left Wet Prairie mostly N 6. ascend hill

443

T. G. N. R. O. E. 2nd Mer. Indiana.

- 20.00 Prairie bears East.
 27.52 A Hickory 14 in. diam.
 35.51 A W Oak 28 " "
 38.00 Enter Mt Prairie
 40.00 Set a gp Sec Post from which
 a W Oak 18 in. diam. bears S 64 $\frac{1}{2}$ W 249 links dist &
 a W. Ash 16 " " " N. 4 $\frac{1}{2}$ E. 305 " "
 On the North Bank of Stream 35 links wide. Co. E. S. E.
 42.25 Same Stream winding through Mt Prairie
 44.50 Leave Prairie & ascend.
 49.13 A W Oak 22 in. diam.
 51.37 An Indian Trail. Course E & W.
 58.24 A W. Oak 14 in. diam.
 67.80 A Do 56 " "
 80.00 Set a Post Corner to Sec. 5. 6. 7. & 8 from which
 a Burr Oak 36 in. diam. bears N 49 W 18 links dist &
 a W. Oak 26 " " " S 64 E 19 " "
 Land on the 1 $\frac{1}{2}$ mile rolling & 2nd rate 2nd spr. rolling
 & rich 2nd rate. Timber. W. Oak. Hickory. Black-
 Oak. Burr Oak. Ash. & scattering Walnut.
 Undergth Tapugas. Oak & Hickory.

-
- East On Random between Sec. 5 & 8.
 29.00 Enter Mt Prairie
 43.00 Left the same, water running in many Channels
 S E. Course.
 48.00 A Glade 57 links wide. Course South.
 82.18 Intersect the N & S line 176 links North of the Post.
 Land level & inferior 2nd rate, timber. White Burr
 & Black Oak. Hickory. Red Oak. &c. Undergth
 Tapugas. Hazle " &c.

-
- West Connected between Sec. 5 & 8
 8.40 A W Oak 22 in. diam.
 24.48 A Do 20 " "
 41.09 Set a gp Sec Post at aver. dist from which

T. G. N. R. O. E. 2nd Mer. Indiana.

a W. Oak 16 in. diam. bears S 65 E. 3.00 links dist &
 a Do 25 " " " N 35 W 2.81 " "
 58.26 A W. Oak 22 " "
 77.98 A W. Oak 26 " "
 82.18 To Sec Corner.

West Between Sec. 6 & 7. On Random

31.80 Enter Swamp
 32.50 Left the same. S. E. W.
 55.50 Enter wet Rough Prairie mostly North.
 61.71 Intersect the W. Boundary 205 links North of Post
 Land mostly level & 2nd rate. Timber. White.
 Burr & Red Oak, Hickory Ash. Sugar. Walnut.
 Sycamore. Undergrowth. Hazle in abundance. Sassafras
 Hickory. Red bud. Oak. Briers. Rues &c.

East Connected between Sec. 6 & 7.

Bearings from the Corner on Range line
 a W. Oak 16 in. diam. bears N 9 E 30 links dist &
 a Do 25 " " " S 23 E 58 " "
 5.91 A Red Oak 18 " "
 21.71 Set a gr Sec Post from which
 a W. Oak 26 in. diam. bears S 45 W 20 links dist &
 a Red Oak 32 " " " N 39 1/2 E 53 " "
 24.90 A W. Oak 38 " "
 52.49 A Sugar 20 " "
 59.70 A W. Oak 30 " "
 61.71 To Sec. Corner.

North Between Sec. 5 & 6.

12.79 A W. Oak 28 in. diam.
 22.61 A Do 28 " " & Enter Wet Prairie
 38.07 A small Lake. Offset West 50 links
 40.00 Set a gr Sec Post on the West Margin of Lake
 50 links West of the line from which
 a Black Oak 18 in. diam. bears N 89 1/2 W. 288 links dist

T29 N. R. O. E. 2nd Mer. Indiana

445

- No other tree near.
- 45 00 Inlet to Lake 25 links wide from the N.W.
Met Prairie on each side.
- 54 00 Reduced Offset. Supposed area of Lake 5 acres.
- 71 14 Intersect the North Boundary 863 links West of
the Post. Land Rolling & 2nd rate. Timber
White. Red. & Blk Oak. Hickory &c. Undeveloped
Oak. Hickory. Red-coat-Whistleberry. Willow &c.
Bearing trees for Sec. 5 & 6.
- a N. Oak 10 in. diam. bears S 45 E 133 links dist 8
- a Do. 10 " " " S 40 W 57 " "

Feb. 14th 1834

The Land in this Township near the River is
Uniform in quality. good for farming except
in places. Round Rock abounds. unfit for
building, but may be of use in constructing
mill dams. spring roads, &c from the River.
Land generally poor Barrens & wet Prairies. useless
for Cultivation but good for pasture.

Meanders of a Lake in Sec. 3 & 10.

Beginning at a Post which stands 8.74 links West
from the Corner of Sec. 2. 3. 10 N. Thence in Sec. 3

Courses	Distances	Remarks.
N. 13° W	3.50	
S 88° W	4.00	
S 66° W	7.00	
S 83° W	7.50	
N 87° W	7.50	
N 77° W	5.00	
S 81° W	2.50	
S 31 1/4° W	202	Intersect the line between Sec. 3 & 10

S 5° W	8.50	In Sec 10
S 69° W	10.00	
S 54° W	11.00	

T29 N. R. 6 E T2nd Mer. Indiana.

S140 41 5.00
 S298 5.50 At 275 Inlet wide & still
 S738 4.00
 S748 6.00
 S588 5.00
 S758 11.50
 S358 5.50
 S518 11.00
 S388 11.50
 S538 6.50
 S178 6.50 To place of beginning

Meanders down the Right Bank of Eel River
 Beginning on the line between Ranges 6 & 7 E
 Thence in Sec. 1

S784 6.00
 S564 4.50
 S654 5.00
 S554 3.00
 S444 12.00
 S704 4.00 At 50 A strong mineral spring issues from the Bank.
 S584 23.50 At 18.00 line 175. to River Bank.
 S474 5.00
 S754 16.00 At 9.00 line 200 to the River
 S774 3.50 At 1.50 A stream 15 links wide. Comes fr. North.
 S434 3.00 Ascend Bluff 30 feet high.
 S98 3.50
 S478 6.00
 S248 12.50 At 500 Descend steep Bench into low Bottom Land.
 S114 3.00 Ripple.
 S264 7.00 At 450 Eddy water
 S654 4.50
 S564 5.50
 S594 9.19 Intersect line between Sec. 1 & 2. Thence

147

T 29 N. R. C. E 2nd Mer. Indiana

S 58 W 8.00 Current slow.
 S 35 W 3.00
 S 40 W 5.00
 S 2 W 4.00 Ripple
 S 18 E 5.71 Intersect the line between Sec? 2 N. Thence

S 11 W 5.00 In Sec 11.
 S 33 W 7.50
 S 74 W 9.00 At 7.55 A Brook 5 links wide. Outlet of
 S 33 W 5.00 Wet - Prairie
 S 18 W 5.00
 S 32 W 8.50
 S 44 W 6.00 Eddy water
 S 80 W 4.00
 N 70 W 11.50
 N 80 W 4.00
 S 70 W 3.00 At 2.75 A Stream from North 10 links wide.
 S 53 W 6.50 Enter Wet Prairie
 S 27 W 7.50 At 5.50 A Brook 4 links wide. Outlet to Swamp
 S 15 W 18.50 At 14.50 Ascend Bluff 25 feet high
 S 15 W 18.50 Enter Prairie
 S 54 W 13.00 Intersect the line between Sec? 10 N. Thence

S 58 W 8.00 In Sec 10 At 3.15 A Spring from high
 S 41 W 7.99 Bluff. Ripple in River.
 Intersect the line between Sec? 10 N 15 on
 Bluff 25 feet high. Old Camp ground

S 7 W 4.00 In Sec 15
 S 7 E 5.00
 S 5 E 8.50 Eddy water
 S 40 W 2.50
 S 50 W 4.00 At 2.25 & at 3.80 a Bold Spring
 S 35 W 7.50 At 6.50 Ascend Bluff
 S 12 W 6.00
 S 20 E 6.60

T 29 N. R. 6. E. 9th Mer. Indiana

S 38 E 5.00 Ripple
 S 19 E 4.00 Eddy water
 S 15 W 3.50
 S 40 W 4.50
 S 53 W 4.50 Current. Brisk &c
 S 65 W 5.50
 N 89 W 4.00 Eddy water
 N 62 W 6.00 At 2.30 A Brook 5 links wide. from the N.
 N 30 W 3.50
 N 6 W 5.00
 N 2 W 7.00 At 3.10 A Spring Branch from the N.E.
 N 30 W 3.50 Ascend high Bluff.
 N 53 W 4.50
 S 76 W 4.50
 S 37 W 13.50
 S 81 W 4.00 Head of Island
 N 73 W 3.50 Foot of Dr. Current S. side.
 N 55 W 5.00
 N 77 W 7.00 At 2.40 A Brook 8 links wide from N.E.
 Ascend Bluff.
 S 84 W 6.42 Intersect the line between Sec. 15 & 16.

Thence in Sec 16.

S 45 W 6.50 At 5th head of Island.
 S 27 W 7.50 At 6.50 Foot "
 S 9 W 19.00 At 8.25 A Creek 40 links wide. Comes from
 N. N. E. line 1.50
 S 55 W 2.50
 N 76 W 3.00
 N 69 W 7.00 Ripple
 N 88 W 8.00 At 5.87 A Brook 3 links wide from North.
 S 47 W 5.00
 S 27 W 2.56 Intersect the line between Sec. 16 & 21. Thence

S 41 W 3.50 In Sec 21.

S 20 W 4.50

Comp'd.

T 29 N. R. 6. E. 2nd Mer. Indiana

449

S 2 W	8.50	
S 25 W	4.00	
S 50 W	4.00	
S 85 W	3.50	
N 63 W	5.00	At 1.50 Head of Island
N 86 W	7.00	At 2.00 Foot " "
S 79 W	12.00	At 1.25 & at 4.75 Beautiful Springs
N 89 W	4.50	
S 81 1/2 W	6.10	Intersect the line between Sec. 20 & 21 Thence in Sec. 20
<hr/>		
N 70 W	5.50	Head of Island
N 54 W	6.50	At 5.00 Foot of Island. Current on the S. side.
S 84 W	10.50	At 7.05 N Spring 3 links wide. and at 8.50. Around Bluff
S 63 W	5.00	
S 49 W	6.50	
S 69 W	4.50	
S 84 W	4.00	
N 53 W	5.00	At 1.50 Head of Island.
N 58 W	8.50	At 2.80 A Brook 3 links wide. from North.
N 53 W	4.50	At 1.00 Foot of Island
N 71 W	4.50	Head of Island & at 1.10 A Brook 3 links wide. from the North
S 76 W	7.00	At 1.50 Foot of Island. At 5.25 A Brook 4 links wide from N W. At 3.50 Sulphur Springs
S 26 W	4.50	High Bluff.
S. 3 E	3.00	Head of Island
S. 23 E	8.00	
S 8 W	5.50	At 50 Foot of Island.
S. 26 W	4.00	
S 63 W	4.00	At 3.50 Head of Island
S 85 W	11.50	At 3.00 Foot " "
N 65 1/2 W	2.00	Intersect the line between Sec. 19 & 20. Thence in Sec. 19 & 20 Overflowed Bottom.

T 29 N. R. 6. E 2nd Mer. Indiana.

T 74 W 4.00 At 200 Acena high Bluff:
 S 63 W 4.50
 S 33 W 4.00
 S 18 W 8.00 At 500 Head of Island.
 S 4 W 6.50 At 500 Foot " "
 S 38 W 6.50 Bottom
 S 29 W 4.00
 S 47 1/2 W 6.37 Intersect the line between Secs 19 & 30
 Thence in Sec 30

S 48 W 13.00
 S 60 W 8.50 At 450 A Spring Brook from NW
 S 45 W 4.00
 S 31 W 4.00 At 275 A Brook 6 links wide from the
 NW & Acena high Bluff
 S 18 W 4.50
 S 1 W 5.00
 S 19 E 3.50 At 1.50 A Brook from the NW.
 S 30 E 5.50
 S 45 E 5.50
 S 30 E 16.00
 S 12 E 5.00
 S 9 W 3.00
 S 64 W 3.00
 S 89 W 3.50 String Current.
 S 78 W 5.00
 S 80 W 5.00
 S 59 W 7.50
 S 51 W 7.00
 S 32 W 4.00
 S 2 E 16.13 Intersect the line between Secs 30 & 31.
 Thence in Sec 31.

S 12 W 4.00 Feb. 16th 1834
 S 14 1/2 W 3.05 Intersect the line between Ranges 5 & 6.
 In the dist. from Corner. See notes on lines.

T 29 N. R. 6. E 2nd Mer. Indiana.

450

Surveyed by
Thomas Brown
Dep. Surveyor.

I hereby Certify that in pursuance of a Contract with
Mo. J. Williams Surveyor General of the United States
for the States of Ohio, Indiana & the Territory of
Michigan, bearing date Dec. 27th 1833. & in
strict Conformity to the laws of the United States
and the instructions of the said Surveyor General,
I have surveyed & subdivided into sections, Trac:
Townships T 29 North of Range R 6 East of
the 2nd Mer. in the State of Indiana and I do
further Certify that the foregoing are the true and
Original Field Notes of the said survey and subdivisions
executed as aforesaid
Certified this 20th of February 1834.

Thomas Brown.
Dep. Surveyor.

John Stiles }
Roland Morgan } Chainmen

I Certify that the foregoing Transcripts of the
Field Notes of Township T 29 North of Range R 6
East of the 2nd Mer. Indiana. has been compared
with the original notes in this Office & found to be correct
Surveyor General's Office
Cincinnati. Feb. 3rd 1843.

William Johnston
Sur. Genl.